



CERTIFICATE OF CONSTANCY OF PERFORMANCE 1239/CPR/0816309

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it's certified that the

Construction product:

Building hardware. Panic exit devices operated by a

horizontal bar, for use on escape routes

Scope of Certification: (references):

RIM PANIC EXIT DEVICE WITH STRIKE PLATE / MORTISE

COUNTERLOCK

References included in each of the certified series are listed in the annex of this

certificate

Product classification:

3	7	6	В	1	3	2	1	A	С
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)

Provided and Produced by: UCEM Sistemas de Seguridad, S.A.

Calle Artapadura, 12

01013 VITORIA (Araba) SPAIN

Is subject to a factory production control and to the inspection of samples in accordance to a prescribed test plan by the manufacturer, and that the Notified Body TECNALIA R&I CERTIFICACION S.L. has carried out initial type tests for all relevant characteristics of the product, as well as the initial inspection of the factory and FPC, and the continuous surveillance, assessment and approval of FPC.

This certificate shows compliance with all regulations applicable to the conformity assessment in the Annex ZA of the standard

EN 1125:2008

and that the product meets the minimum requirements applicable.

System of assessment and verification of constancy of performance : SYSTEM 1

Issued on: 18/12/2013 Last modified on: 23/09/2016 Expires on: 15/12/2019 Serial no: 081630905-I

This document allows the manufacturer to fix the CE mark.

This certificate may be modified, temporarily suspended and withdrawn by TECNALIA R&I CERTIFICACION.

The validity of this certificate can be checked through its QR code or through consultation in www.tecnaliacertificacion.com.



Carlos Nazabal Alsua Managing Director





ANNEX CERTIFICATE OF CONSTANCY OF PERFORMANCE 1239/CPR/0816309

Construction product: Panic exit devices operated by a horizontal bar, for use on escape routes

REFERENCES	DESCRIPTION
B120C/BP120C + HE2219HZRB	Panic exit device with 2 vertical locking points and central mortise counterlock, suitable only for inactive leaf on double doors
B120C/BP120C + HE2120.1334	Panic exit device with 2 vertical locking points and central strike plate, suitable only for inactive leaf on double doors
B120C/BP120C + HE2121.1335	Panic exit device with 2 vertical locking points and central strike plate, suitable only for inactive leaf on double doors
B0800C/BP0800C + HE2219HZRB	Panic exit device with 2 vertical locking points and central mortise counterlock, suitable only for inactive leaf on double doors
B0800C/BP0800C + HE2120.1334	Panic exit device with 2 vertical locking points and central strike plate, suitable only for inactive leaf on double doors
B0800C/BP0800C + HE2121.1335	Panic exit device with 2 vertical locking points and central strike plate, suitable only for inactive leaf on double doors

Surface finish: NR (Black/Red), BB (White), NM (dull Nickel-plated), II (dull Stainless steel), OO (Gold-plated), CC (Chrome-plated), NN (Black), PP (Silver), NI (Black/ Stainless steel bar), NMI (dull Nickel / Stainless steel bar), NV (Black/ Green bar) and NAM (Black/ yelow bar)

Case: B (Metallic) and BP (Plastic)