

DECLARATION OF PERFORMANCE

DoP_0816309_03

1. ID code of the product type

Rim panic exit device with strike plate / Mortise counter-lock

- Ref. B120C / BP120C / B0800C / BP0800C + Strike HE2120.1334 or HE2121.1335
- Ref. B120C / BP120C / B0800C / BP0800C + Mortise Counter-lock HE2219HZRB

2. Manufacturer

UCEM Sistemas de Seguridad, S.A.
Polígono Kataide, s/n
20500 Arrasate-Mondragón (Guipúzcoa)
ESPAÑA

3. Intended Use

On doors on escape routes

4. Certification System

SISTEM 1

5. Notified Body

TECNALIA R&I CERTIFICACIÓN, nº 1239
Initial type tests and inspectioin of FPC
Sistem 1

Certificate 1239 / CPR / 0816309, issued on el 18/12/2013

6. Declared performances

Essential Characteristics	Performance	Harmonised Technical Specifications
CATEGORY OF USE	3	EN 1125:2008
DURABILITY	7	
DOOR MASS	6	
SUITABILITY FOR USE ON FIRE / SMOKE DOORS	B	
SAFETY	1	
CORROSION RESISTANCE	3	
SECURITY	2	
PROJECTION OF HORIZONTAL BAR	1	
TYPE OF HORIZONTAL BAR OPERATION	A	
FIELD OF DOOR APLICATION	C	

7. The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

The Declaration of Performance is issued under the sole responsibility of **UCEM Sistemas de Seguridad, S.A.**

In Arrasate-Mondragón, on 18th de October 2015



Santiago Rodríguez
General Manager