

## DECLARATION OF PERFORMANCE

DoP\_0816310\_01

1. ID code of the product type

**Mortise Lock Panic Exit Device with one lateral locking point.**

- Ref. B150 / BP150 / B0700 / BP0700 + Mortise Lock HE2217HZRB

2. Manufacturer

**UCEM Sistemas de Seguridad, S.A.**

**Polígono Kataide, s/n**

**20500 Arrasate-Mondragón (Guipúzcoa)**

**ESPAÑA**

3. Intended Use

**On doors on escape routes**

4. Certification System

**SYSTEM 1**

5. Notified Body

**TECNALIA R&I CERTIFICACIÓN, nº 1239**

**Initial type tests and inspection of FPC**

**System 1**

**Certificate 1239 / CPR / 0816310, issued on 18/12/2013**


6. Declared performances

Essential Characteristics	Performance	Harmonised Technical Specifications
CATEGORY OF USE	<b>3</b>	EN 1125:2008
DURABILITY	<b>7</b>	
DOOR MASS	<b>6</b>	
SUITABILITY FOR USE ON FIRE / SMOKE DOORS	<b>B</b>	
SAFETY	<b>1</b>	
CORROSION RESISTANCE	<b>3</b>	
SECURITY	<b>2</b>	
PROJECTION OF HORIZONTAL BAR	<b>1</b>	
TYPE OF HORIZONTAL BAR OPERATION	<b>A</b>	
FIELD OF DOOR APPLICATION	<b>A</b>	

7. The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

The Declaration of Performance is issued under the sole responsibility of **UCEM Sistemas de Seguridad, S.A.**

In Arrasate-Mondragón, on 18<sup>th</sup> March 2016



Santiago Rodríguez  
General Manager